



**Tile / Tile (Mortar Set) / Metal / Others (Wood Shingles & Shakes) Roof Application**

<u>Fee Code</u>	<u>Description</u>	<u>Fee Calculation</u>	<u>Unit</u>	<u>No. Of Units</u>	<u>Fee</u>
B908	Tile Roof (All Groups)	\$0.14 per sq ft of roof coverage	Sq Ft	_____	_____
B908	Metal Roof (All Groups)	\$0.14 per sq ft of roof coverage	Sq Ft	_____	_____
B908	Lightweight Concrete	Flat Fee \$120.70			_____

Minimum Code Requirements:

**Tile Roof** - As per Notice of Acceptance and Product Control Approvals.

**Tile (Mortar Set) Roof** - One layer of No. 30 felt tin capped 12” o.c. One layer of No. 90 ASTM mineral surfaced slate set in hot asphalt. Minimum 26 gauge galvanized eaves drip and valley metal. Tile set in appropriate mortar base as per Notice of Acceptance. Pull test required prior to final inspection.

**Metal Roof** - See Chapter 34 of the FBC Manufacturer’s Specifications, Protocols and Product Control Approvals.

Required Inspections:

**Tile Roof**            135 – Tin Cap  
                              137 – Mop in Progress  
                              138 – Shingle/Tile in Progress  
                              199 – Final

**Tile (Mortar Set) Roof**    134 – Sheathing  
                                      135 – Tin Cap  
                                      138 – Shingle/Tile in Progress  
                                      199 – Final

**Metal Roof**            138 – Shingle/Tile in Progress  
                              199 – Final

Roof Pitch Requirements:

**Tile Roof**            As per Notice of Acceptance

**Tile (Mortar Set) Roof**    As per Notice of Acceptance

**Metal Roof**            As per Notice of Acceptance

**WARNING**

Florida Statutes provides for fines in the amount of \$500.00 to \$5000.00 for any consumer (owner-builders, contractors, etc.) who “aids and abets the unlicensed practice of a professional by employing such unlicensed person.”

A Product Control “Notice of Acceptance” and method of installation must be provided at time of permit application and posted at jobsite for inspection on all roofing systems.

Under penalties of perjury, I declare that to the best of my knowledge, the facts stated in this document are true. I understand that perjury is a felony of the third degree.

\_\_\_\_\_

**Qualifier’s Signature**